


GM 9.3 "C" Axle



- 10 3/16" x 11 1/16" • Housing 10 Holes • 12 Bolt • 9.30" Diameter Ring Gear • 1.876" Diameter Pinion • 13 Splines • "C" Axle Only


Street Gear

Ratio	Teeth	Part No.
4.10	41-10	69-0006-1
4.56	41-9	69-0008-1
4.88	39-8	69-0009-1

When replacing 3.23 and numerically lower ratios, the higher carrier must be replaced with a carrier 4.10 or higher.

Make	Year
Oldsmobile	57-64
Pontiac	57-64

GM 8.875 "C" Axle



- 10 7/8"
- Oval Cover 12 Holes
- 8.875" Diameter Ring Gear
- 1.625" Diameter Pinion
- 30 Splines
- "C" Axle Only

Street Gear

Ratio	Teeth	Part No.	Carrier
3.08	40-13	49-0094-1	3
3.42	41-12	49-0113-1	3
3.55	39-11	49-0095-1	3
3.73	41-11	49-0039-1	3
3.73	41-11	49-0096-1	4
3.90	39-10	49-0040-1	3
4.10	41-10	69-0304-1	3
4.10	41-10	69-0031-1	4
4.33	39-9	69-0378-1	4
4.56	41-9	69-0306-1	3
4.56	41-9	69-0032-1	4
4.88	39-8	69-0308-1	3
4.88	39-8	69-0033-1	4
5.14	36-7	69-0034-1	4
5.38	43-8	69-0035-1	4
5.57	39-7	69-0036-1	4
5.86	41-7	69-0037-1	4
6.14	43-7	69-0038-1	4

Make	Year
Chevrolet	65-72
Chevelle	65-72
Chevy II	65-72
Camaro	67-72
GTO/Firebird	70-72
Nova	70-72
Olds F-85	68-69
El Camino	65-72

Installation Kit

83-1019-1
83-1019-M

Mini-Spool

Part No.	Spline
78-1230-1	30
Cross Shaft Pin CSPGM12	

Spools

Part No.	Spline
81-1230-1	30
81-1233-1	33
81-1235-1	35

Note: ALL SPOOLS REQUIRE C-CLIP ELIMINATOR KIT

Spool Bearing Kit

29-0005-1

*Pro Gear

Ratio	Teeth	Part No.	
4.11	37-9	79-0099-1	4 New
4.33	39-9	79-0074-1	4
4.56	41-9	79-0072-1	4
4.75	38-8	79-0123-1	4 New
4.88	39-8	79-0064-1	4
5.14	36-7	79-0027-1	4
5.38	43-8	79-0029-1	4
5.57	39-7	79-0031-1	4
5.86	41-7	79-0033-1	4
6.14	43-7	79-0035-1	4

When installing 5.14 to 6.14, differential pin #80-0269-1 must be used.

- 3 - Fits 3.07 to 3.73 ratio carrier.
- 4 - Fits 3.90 ratio and numerically higher carrier.

* Pro Gears are specifically designed for drag race only.